

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L14	1026	(@rlad<"20030109" or @ad<"20030109") and (time stamp) with (offset differen\$2) with transmi\$5 with wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:01
L15	763	(@rlad<"20030109" or @ad<"20030109") and ((time stamp) near6 (relative offset differen\$2)) with transmi\$5 with wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:03
L16	634	(@rlad<"20030109" or @ad<"20030109") and ((time stamp) near3 (relative offset differen\$2)) with transmi\$5 with wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:03
L17	0	(@rlad<"20030109" or @ad<"20030109") and ((time stamp) near3 (relative offset differen\$2)) with (to adj3 transmi\$5) with wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:04
L18	0	(@rlad<"20030109" or @ad<"20030109") and ((time stamp) with (relative offset differen\$2)) with (to adj3 transmi\$5) with wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:04
L19	78	(@rlad<"20030109" or @ad<"20030109") and ((time stamp) near3 (relative offset differen\$2)) with (wireless near3 receive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:05
L20	2	(@rlad<"20030109" or @ad<"20030109") and ((time stamp) near3 (relative offset differen\$2)) with (wireless near3 receive) and (video with (time stamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:07
L21	4	(@rlad<"20030109" or @ad<"20030109") and ((time stamp) with (relative offset differen\$2)) with (wireless near3 receive) and (video with (time stamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:08

L22	39633	(@rlad<"20030109" or @ad<"20030109") and ((time stamp) with (relative offset differen\$2)) and (video with (time stamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:10
L23	0	(@rlad<"20030109" or @ad<"20030109") and ((time stamp) with (relative offset differen\$2)) and ((video data) with (time&stamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:11
L24	0	(@rlad<"20030109" or @ad<"20030109") and ((time stamp) with (relative offset differen\$2)) and ((video data frame) with (time&stamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:11
L25	265706	(@rlad<"20030109" or @ad<"20030109") and ((time stamp) with (relative offset differen\$2)) and ((video data frame) with (time stamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:11
L26	14519	(@rlad<"20030109" or @ad<"20030109") and ((video data frame) with (time adj3 stamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:12
L27	1107	(@rlad<"20030109" or @ad<"20030109") and ((video data frame) with (time adj3 stamp)) same (time with (offset difference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:12
L28	839	(@rlad<"20030109" or @ad<"20030109") and (((video data frame) with (time adj3 stamp)) with (time with (offset difference)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:13
L29	190	(@rlad<"20030109" or @ad<"20030109") and ((video data frame) with (time adj3 stamp) with (time with (offset difference)) with (incoming input receiv\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:16

L30	48	((@rlad<"20030109" or @ad<"20030109") and ((video data frame) with (time adj3 stamp) with (time with (offset difference)) with (incoming input receiv\$3)) and ((send transmit communicate) with (offset difference)with (transmi\$4 output))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:17
L31	48	((@rlad<"20030109" or @ad<"20030109") and ((video data frame) with (time adj3 stamp) with (time with (offset difference)) with (incoming input receiv\$3)) and ((send transmit communicate) with (offset difference) with (transmi\$4 output))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:17
L32	7	((@rlad<"20030109" or @ad<"20030109") and ((video data frame) with (time adj3 stamp) with (time with (offset difference)) with (incoming input receiv\$3)) and ((send transmit communicate) with (offset difference) with (transmi\$4 output) with adjust\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:21
L33	7	"2004008661"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 14:09
L34	4	"20040008661"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 14:11
L35	25	((@rlad<"20030109" or @ad<"20030109") and time \$stamp and ((time adj2 difference) with (send communicat\$3 broadcast)) and (time adj2 base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 16:09
S1	5	"2006062195"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 09:28

S2	2	"20060062195"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 09:55
S3	39	(@rlad<"20030109" or @ad<"20030109") and wlan and time\$stamp and adjust	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 10:00
S4	0	(@rlad<"20030109" or @ad<"20030109") and wlan and time\$stamp and adjust and vcxo	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 16:53
S5	0	(@rlad<"20030109" or @ad<"20030109") and wlan and time\$stamp and adjust and scr	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 09:56
S6	14	(@rlad<"20030109" or @ad<"20030109") and wlan and vcxo	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 11:19
S7	32640	(@rlad<"20030109" or @ad<"20030109") and wlan and vcxo scr	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 09:57
S8	0	(@rlad<"20030109" or @ad<"20030109") and wlan and vcxo and scr	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 09:57
S9	10	(@rlad<"20030109" or @ad<"20030109") and wlan and vcxo and time and adjust	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 09:58
S10	0	(@rlad<"20030109" or @ad<"20030109") and wlan and vcxo and time\$stamp and adjust	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 09:58
S11	0	(@rlad<"20030109" or @ad<"20030109") and wlan and vcxo and (time near3 stamp) and adjust	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 09:59

S12	6	(@rlad<"20030109" or @ad<"20030109") and wlan and vcxo and time and adjust and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 09:59
S13	0	(@rlad<"20030109" or @ad<"20030109") and wlan and time\$stamp and adjust and video and digit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 10:00
S14	28	(@rlad<"20030109" or @ad<"20030109") and wlan and time\$stamp and adjust and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 10:00
S15	2	"20030172179"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/01/03 15:14
S16	423	(@rlad<"20030109" or @ad<"20030109") and 370/345.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 16:53
S17	8	(@rlad<"20030109" or @ad<"20030109") and 370/345.ccls. and vcxo	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 16:53
S18	3	(@rlad<"20030109" or @ad<"20030109") and wlan and ((previous or adjust) near5 time\$stamp) and beacon	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:10
S19	6	(@rlad<"20030109" or @ad<"20030109") and wlan and ((previous or adjust) with time\$stamp) and beacon	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:10
S20	13	(@rlad<"20030109" or @ad<"20030109") and wlan and ((previous or adjust) with time\$stamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:10
S21	13	(@rlad<"20030109" or @ad<"20030109") and wlan and ((previous or adjust) with time\$stamp) and (access near3 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:11

S22	1	(@rlad<"20030109" or @ad<"20030109") and wlan and ((previous or adjust) with time\$stamp) and (access near3 point) and (video near5 transmission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:12
S23	1	(@rlad<"20030109" or @ad<"20030109") and wlan and ((previous or adjust) with time\$stamp) and (time near5 differen\$2) and (video near5 transmission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:26
S24	1	(@rlad<"20030109" or @ad<"20030109") and wlan and (previous near5 time \$stamp) and (time near5 differen\$2) and (video near5 transmission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:28
S25	1	(@rlad<"20030109" or @ad<"20030109") and wlan and (previous near5 time \$stamp) and (time adj5 differen\$2) and (video near5 transmission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:28
S26	1	(@rlad<"20030109" or @ad<"20030109") and wlan and ((previous or old or new or recent or adjust) near5 time\$stamp) and (tim\$3 adj5 differen\$2) and (video near5 transmission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:31
S27	1	(@rlad<"20030109" or @ad<"20030109") and wlan and ((previous or old or new or recent or adjust) with time\$stamp) and (tim\$3 adj5 differen\$2) and (video near5 transmission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:32
S28	7	(@rlad<"20030109" or @ad<"20030109") and wlan and ((previous or old or new or recent or adjust) with time\$stamp) and (tim\$3 adj5 differen\$2) and (access near5 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:32
S29	17	(@rlad<"20030109" or @ad<"20030109") and wlan and ((previous or old or new or recent or adjust or local or received) with time \$stamp) and (tim\$3 adj5 differen\$2) and (access near5 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:35

S30	0	(@rlad<"20030109" or @ad<"20030109") and wlan and ((previous or old or new or recent or adjust or local or received) with time \$stamp) and ((time near3 stamp) adj5 differen\$2) and (access near5 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:51
S31	8	(@rlad<"20030109" or @ad<"20030109") and wlan and ((previous or old or new or recent or adjust or local or received) with time \$stamp) and ((time adj5 differen\$2) with transmi\$5) and (access near5 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:53
S32	8	(@rlad<"20030109" or @ad<"20030109") and wlan and ((previous or old or new or recent or adjust or local or received) with time \$stamp) and ((time adj5 differen\$2) with transmi\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:56
S33	16	(@rlad<"20030109" or @ad<"20030109") and wlan and time\$stamp and ((time adj5 differen\$2) with transmi\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:56
S34	80	(@rlad<"20030109" or @ad<"20030109") and scr and vcxo	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 12:21
S35	1	(@rlad<"20030109" or @ad<"20030109") and scr and vcxo and time\$stamp and (time near5 differen\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 12:22
S36	4855	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and (time near5 differen\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 12:27
S37	313	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and (time near5 differen\$2) and set\$top	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 12:27
S38	96	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and (time near5 differen\$2) and set\$top and head\$end	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 12:28

S39	81	(@rld<"20030109" or @ad<"20030109") and time \$stamp and (time near5 differen\$2) and set\$top and head\$end and synchroni\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 12:28
S40	56	(@rld<"20030109" or @ad<"20030109") and time \$stamp and (time near5 differen\$2) and set\$top and head\$end and (tim\$3 near3 synchroni\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 12:28
S41	56	(@rld<"20030109" or @ad<"20030109") and time \$stamp and (time near5 differen\$2) and set\$top and head\$end and (tim\$3 near3 synchroni\$6) and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 12:29
S42	23	(@rld<"20030109" or @ad<"20030109") and time \$stamp and (time near5 differen\$2) and set\$top and head\$end and (tim\$3 near3 synchroni\$6) and (video near5 transmission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 12:29
S43	0	(@rld<"20030109" or @ad<"20030109") and time \$stamp and (tim&3 near5 (differen\$2 or offset)) and set\$top and head\$end and (tim\$3 near3 synchroni\$6) and (video near5 transmission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 14:01
S44	23	(@rld<"20030109" or @ad<"20030109") and time \$stamp and ((time or timing) near5 (differen\$2 or offset)) and set\$top and head\$end and (tim\$3 near3 synchroni\$6) and (video near5 transmission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 14:02
S45	2	(@rld<"20030109" or @ad<"20030109") and time \$stamp and (timing near5 offset) and set\$top and head\$end and (tim\$3 near3 synchroni\$6) and (video near5 transmission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 14:02
S46	2	"20020049983"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/09 14:15
S47	0	("2002/0049983").URPN.	USPAT	OR	ON	2008/07/09 14:27
S48	0	("2002/0049983").URPN.	USPAT	OR	ON	2008/07/09 14:27

S49	53	("6490727").URPN.	USPAT	OR	ON	2008/07/09 14:27
S50	0	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and ((time or timing) near5 (differen\$2 or offset)) and set\$top and head\$end and (receiver near5 adjust) with (time near3 difference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 15:37
S51	4	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and ((time or timing) near5 (differen\$2 or offset)) and set\$top and head\$end and (receiver with (time near3 difference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 15:38
S52	22	(@rlad<"20030109" or @ad<"20030109") and wlan and (time\$stamp with transmission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 19:04
S53	0	(@rlad<"20030109" or @ad<"20030109") and wlan and (time\$stamp with video with transmission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 19:08
S54	0	(@rlad<"20030109" or @ad<"20030109") and wlan and ((time near3 stamp) same (video near3 transmission))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 19:09
S55	20	(@rlad<"20030109" or @ad<"20030109") and wlan and ((time near3 stamp) same transmission) and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 19:09
S56	62	(@rlad<"20030109" or @ad<"20030109") and wlan and (time with transmission with video)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 10:58
S57	31	(@rlad<"20030109" or @ad<"20030109") and wlan and ((time near5 transmission) with video)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 10:59
S58	122	(@rlad<"20030109" or @ad<"20030109") and (time near5 stamp) with transmission with difference	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 11:06

S59	51	(@rlad<"20030109" or @ad<"20030109") and ((time near5 stamp) with transmission with difference) and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 11:06
S60	17	"5751721"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/06/29 14:18
S61	2	"20020098852"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/06/29 14:22
S62	754	(@rlad<"20030109" or @ad<"20030109") and ((time adj5 difference) with transmission) and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 15:10
S63	737	(@rlad<"20030109" or @ad<"20030109") and ((time adj2 difference) near6 transmi\$5) and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 15:10
S64	16	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and (time near5 differen\$2) and set\$top and ((time adj2 difference) near6 transmi\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 15:11
S65	166	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and (time near5 differen\$2) and ((time adj2 difference) near6 transmi\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 15:16
S66	2	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and (time near5 differen\$2) and ((time adj2 difference) near6 transmi\$5) with (time adj2 base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 15:17
S67	2	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and ((time adj2 difference) near6 transmi\$5) with (time adj2 base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 15:19
S68	3	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and ((time adj2 difference) near6 transmi\$5) same (time adj2 base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 15:19
S69	41	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and ((time adj2 difference) near6 transmi\$5) and (time adj2 base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 15:20

S70	41	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and ((time adj2 difference) near6 (broadcast transmi\$5))and (time adj2 base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 16:22
S71	0	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and ((time adj2 difference) near6 broadcast) and (time adj2 base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 16:23
S72	0	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and ((time adj2 difference) near6 broadcast) and (time adj2 base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 16:23
S73	0	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and ((time adj2 difference) with broadcast) and (time adj2 base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 16:23
S74	23	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and ((time adj2 difference) with (communicat \$3 broadcast)) and (time adj2 base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 16:24
S76	4	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and ((time adj2 difference) with send) and (time adj2 base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 16:26
S77	7	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and ((time adj2 (offset difference)) with broadcast) and (time adj2 base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 18:38
S78	7	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and ((time adj2 difference) near6 transmi\$5) and (time adj2 base) and (370/503.ccls. or "725"/\$. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:59
S79	62	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and (time near5 differen\$2) and set\$top and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 11:00

12/ 23/ 2009 4:27:42 PM

C:\ Documents and Settings\ schan1\ My Documents\ EAST\ Workspaces\ 10541764 sync with beacon packet.wsp